



# Outdoor WPC

# Decking, Wall Cladding, Fencing<sup>u</sup>

U3, 13 McCormack,  
Arndell Park, NSW 2148.  
Email: [enquiry@sparkbusinessgroup.com.au](mailto:enquiry@sparkbusinessgroup.com.au)  
[www.sparkbusiness.com.au](http://www.sparkbusiness.com.au)  
02 88074717




# DECKING PROJECTS SHOW





# COMPOSITE DECKING : TS-03



## Surface



Groove



Modern  
3D Embossing



Classical  
3D Embossing



Fashion  
3D Embossing



WATER-  
PROOF




TERMITE  
RESISTANCE



NO PAINT /  
MAINTENANCE



EASY TO  
INSTALL

Sectional view	
Item	TS-03
Size(mm)	150x25
Surface	Groove, 3D Embossing
Standard Length	2.2m or customized

## Color



Cedar



Red Pine



Red Wood



Light Gray



Coffee



Red Brown



Blue Gray

## Art Color



Cedar  
(Art Color)



Red pine  
(Art Color)



Red wood  
(Art Color)



Light gray  
(Art Color)



Brown  
(Art Color)

# COMPOSITE DECKING : TW-K03



## Surface



Groove



Modern  
3D Embossing



Classical  
3D Embossing



Fashion  
3D Embossing



WATER-  
PROOF




TERMITE  
RESISTANCE



NO PAINT /  
MAINTENANCE



EASY TO  
INSTALL

Sectional view	
Item	TW-K03
Size(mm)	150x25
Surface	Groove, Sanding, 3D Embossing
Standard Length	2.2m or customized

## Color



Cedar



Red Pine



Red Wood



Light Gray



Coffee



Red Brown



Blue Gray

## Art Color



Cedar  
(Art Color)



Red pine  
(Art Color)



Red wood  
(Art Color)




Light gray  
(Art Color)



Brown  
(Art Color)

# CAPPED COMPOSITE DECKING : CO-02



WATER-PROOF



TERMITE RESISTANCE



NO PAINT / MAINTENANCE



EASY TO INSTALL

Sectional view	
Item	CO-02
Size(mm)	140x23
Surface	3D Embossing
Standard Length	2.2m or customized

## Surface



Aurora



Starshine

## Color



Smoke Gray



Stone Gray



OAK



Dark Teak



Maple



Teak



IPE



Walnut



Sea Blue



Matcha Green



Bright Purple



Amber Yellow



Ivory White

# CAPPED COMPOSITE DECKING : CO-03



## Surface



Aurora



Starshine

## Color



Smoke Gray



Stone Gray



OAK



Dark Teak



Maple



Teak



IPE



Walnut



Sea Blue



Matcha Green



Bright Purple



Amber Yellow



Ivory White



WATER-PROOF




TERMITE RESISTANCE




NO PAINT / MAINTENANCE



EASY TO INSTALL

Sectional view	
Item	CO-03
Size(mm)	138x23
Surface	3D Embossing
Standard Length	2.2m or customized






# WALL CLADDING PROJECTS SHOW





# COMPOSITE WALL CLADDING : TF-04W



WATER-PROOF



TERMITE RESISTANCE




NO PAINT / MAINTENANCE



EASY TO INSTALL

Sectional view	
Item	TF-04W
Size(mm)	157x21
Surface	Sanding, Brush, Embossing
Standard Length	2.2m or customized

## Surface



Sanding



Fish shape  
(Natural wood grain)



Cluster shape  
(Natural wood grain)

## Color




Cedar



Red Pine



Red Wood



Light Gray



Coffee



Red Brown



Blue Gray

## Art Color



Cedar  
(Art Color)



Red pine  
(Art Color)



Red wood  
(Art Color)




Light gray  
(Art Color)



Brown  
(Art Color)



# COMPOSITE WALL CLADDING: CW-02



WATER-PROOF




TERMITE RESISTANCE



NO PAINT / MAINTENANCE



EASY TO INSTALL



Sectional view	157mm 21mm
Item	CW-02
Size(mm)	157x21
Surface	3D Embossing
Standard Length	2.2m or customized

## Surface



Modern 3D Embossing



Classical 3D Embossing



Fashion 3D Embossing

## Color



Cedar



Red Pine



Red Wood



Light Gray



Coffee



Red Brown



Blue Gray

## Art Color



Cedar (Art Color)



Red pine (Art Color)



Red wood (Art Color)




Light gray (Art Color)



Brown (Art Color)

# CAPPED COMPOSITE WALL CLADDING : CO-09



## Surface



Aurora



Starshine

## Color



Smoke Gray



Stone Gray



OAK



Dark Teak



Maple



Teak



IPE



Walnut



Sea Blue



Matcha Green



Bright Purple



Amber Yellow



Ivory White



WATER-PROOF




TERMITE RESISTANCE



NO PAINT / MAINTENANCE



EASY TO INSTALL



Sectional view

26mm

219mm

Item

CO-09

Size(mm)

219x26

Surface

3D Embossing

Standard Length

2.2m or customized



## PROJECT CASE



## AVAILABLE COLORS



Light Gray



Cedar



Red Pine




Red Wood



Red Brown



Coffee




Blue Gray

## CWF-04

Standard Size: W1800 × H1800mm

### MEASUREMENT




### STYLE CHOICE




Type A.  
Single-layer

### ACCESSORIES



① Post  
CFP-01(100×100mm)



② Fence Board  
CFB-01(150×20mm)



③ Top Fence Board  
CFB-02(140×20mm)




④ Steel Base  
40×40mm



⑤ Aluminum Fence Base  
CH-03(20×26mm)




⑥ Sealing Edge  
CH-04(25×20mm)



⑦ Post Cap  
110×110mm



## INSTALLATION STEP




### 1. Fix the Steel Base

Fix the steel base by SS expansion bolt.  
Noted: the ground must be flat and stable.




### 2. Fix the Post

Put the post on the steel base.




### 3. Fix the Aluminum Fence Base

Place the aluminum fence base on the bottom layer along the groove of the post.



### 4. Fix the Fence board

Place the fence board one by one along the groove of the post. Then use top fence board for the top one.



### 5. Fix the Sealing Edge

Insert the sealing edge into the grooves on the three sides of the post.



### 6. Fix the Post Cap

Put the post cap on the top of the post, then fix with screw. The installation now is all finished.

